

### Ideal cold water cleaning for everyday tasks

Like all Nilfisk high-pressure washers, the MC 2C platform was engineered to provide exemplary pressure-washing results – but there’s always room for improvement, so we’ve increased the machines’s cleaning effectiveness and efficiency through the primary point of contact: the pump.

The MC 2C line comprises models designed for routine semi-professional use mainly by tradesmen, on small construction sites, agriculture or small contract cleaners.





The compact cold water line that combines high performance level for increased cleaning efficiency, ergonomics and durability for superior everyday cleaning.

- Powerful detergent application with universal foam sprayer – easy to use
- 4-in-1 nozzle ensures easy change between nozzles – always the right nozzle for almost all cleaning tasks and applications
- New hose-reel guide for an easy, one-handed rollup and protected hose storage
- Easier water-flow regulation for a quick adjustment according to the cleaning tasks
- Ergo 2000 spray gun and ergonomic accessory concept improve handling and reduce strain
- Easy transport and storage (wheels, telescopic handle, lifting bar)
- High-quality alloy pump head and automatic start/stop for a high wear resistance





Picture shown may not represent model quoted







• Standard equipment

Included accessories		Ref. no.	Min. required	MC 2C-120/520 T EU	MC 2C-120/520 T UK	MC 2C-120/520 XT EU
<b>High Pressure Hose, DN6</b>						
	HOSE DN6 10M 1W FOR P-2	126528620	0			
	HOSE DN6 15 M 1W AGR-AGR	6528613	0			
<b>Spray Gun</b>						
	ERGO 2000 SPRAY HANDLE W. HOSE SWIVEL	106404757	0	•		•
<b>4-in-1 Lance</b>						
	4-IN-1 LANCE INCL 0340 ALUMINUM HEAD	128502046	0			
<b>Flexible Nozzle (IVT)</b>						

Ideal cold water cleaning for everyday tasks







Included accessories		Ref. no.	Min. required	MC 2C-120/520 T EU	MC 2C-120/520 T UK	MC 2C-120/520 XT EU
	FLEXOPOWER PLUS 960 W 0340 NOZZLE	128502049	0			
	FLEXOPOWER PLUS 960 W 0350 NOZZLE	128502050	0			

● Standard equipment



Included accessories		Ref. no.	Min. required	MC 2C-80/520 T MEX	MC2C-120/520 XT EU	MC 2C-120/520 XT AU
<b>High Pressure Hose, DN6</b>						
	HOSE DN6 10M 1W FOR P-2	126528620	0			
	HOSE DN6 15 M 1W AGR-AGR	6528613	0		●	●
<b>Spray Gun</b>						
	ERGO 2000 SPRAY HANDLE W. HOSE SWIVEL	106404757	0	●	●	●
<b>4-in-1 Lance</b>						
	4-IN-1 LANCE INCL 0340 ALUMINUM HEAD	128502046	0		●	●
<b>Flexible Nozzle (IVT)</b>						
	FLEXOPOWER PLUS 960 W 0340 NOZZLE	128502049	0			
	FLEXOPOWER PLUS 960 W 0350 NOZZLE	128502050	0			

Ideal cold water cleaning for everyday tasks





● Standard equipment

Included accessories	Ref. no.	Min. required	MC 2C-120/520 XT CH	MC2C-120/520 T EU	MC 2C-120/520 T UK
<b>High Pressure Hose, DN6</b>					
 HOSE DN6 10M 1W FOR P-2	126528620	0		•	•
 HOSE DN6 15 M 1W AGR-AGR	6528613	0	•		
<b>Spray Gun</b>					
 ERGO 2000 SPRAY HANDLE W. HOSE SWIVEL	106404757	0	•	•	•
<b>4-in-1 Lance</b>					
 4-IN-1 LANCE INCL 0340 ALUMINUM HEAD	128502046	0	•	•	•
<b>Flexible Nozzle (IVT)</b>					
 FLEXOPOWER PLUS 960 W 0340 NOZZLE	128502049	0			
 FLEXOPOWER PLUS 960 W 0350 NOZZLE	128502050	0			






● Standard equipment

Included accessories	Ref. no.	Min. required	MC2C-140/610 XT EU - 16A	MC 2C-140/610 XT UK	MC2C-150/650 EU - 16A
<b>High Pressure Hose, DN6</b>					
 HOSE DN6 10M 1W FOR P-2	126528620	0			•
 HOSE DN6 15 M 1W AGR-AGR	6528613	0	•	•	
<b>Spray Gun</b>					


Ideal cold water cleaning for everyday tasks

Included accessories	Ref. no.	Min. required	MC2C-140/610 XT EU - 16A	MC 2C-140/610 XT UK	MC2C-150/650 EU - 16A
 ERGO 2000 SPRAY HANDLE W. HOSE SWIVEL	106404757	0	•	•	•
<b>4-in-1 Lance</b>					
 4-IN-1 LANCE INCL 0340 ALUMINUM HEAD	128502046	0	•	•	
<b>Flexible Nozzle (IVT)</b>					
 FLEXOPOWER PLUS 960 W 0340 NOZZLE	128502049	0			•
 FLEXOPOWER PLUS 960 W 0350 NOZZLE	128502050	0			

• Standard equipment

Included accessories	Ref. no.	Min. required	MC2C-150/650 XT EU - 16A	MC2C-140/650 EXPT
<b>High Pressure Hose, DN6</b>				
 HOSE DN6 10M 1W FOR P-2	126528620	0		•
 HOSE DN6 15 M 1W AGR-AGR	6528613	0	•	
<b>Spray Gun</b>				
 ERGO 2000 SPRAY HANDLE W. HOSE SWIVEL	106404757	0	•	•
<b>4-in-1 Lance</b>				
 4-IN-1 LANCE INCL 0340 ALUMINUM HEAD	128502046	0	•	
<b>Flexible Nozzle (IVT)</b>				
 FLEXOPOWER PLUS 960 W 0340 NOZZLE	128502049	0		

Ideal cold water cleaning for everyday tasks

Included accessories		Ref. no.	Min. required	MC2C-150/650 XT EU - 16A	MC2C-140/650 EXPT
	FLEXOPOWER PLUS 960 W 0350 NOZZLE	128502050	0		•

Model	MC 2C-120/520 T EU	MC 2C-120/520 T UK	MC 2C-120/520 XT EU
Ref. no.	128471352	128471353	128471354

PRODUCT FEATURES

Stainless steel pistons	•	•	•
Hose reel			•
Automatic start/stop	•	•	•
Spray Gun Holder	•	•	•
Cable hook, turnable	•	•	•
Foam Sprey	•	•	•
Detergent Tank 2,5 Lt	•	•	•

Model	MC 2C-80/520 T MEX	MC2C-120/520 XT EU	MC 2C-120/520 XT AU
Ref. no.	128471488	128471490	128471491

PRODUCT FEATURES

Stainless steel pistons	•	•	•
Hose reel	•	•	•
Automatic start/stop	•	•	•
Spray Gun Holder	•	•	•
Cable hook, turnable	•	•	•
Foam Sprey	•	•	•
Detergent Tank 2,5 Lt	•	•	•

Model	MC 2C-120/520 XT CH	MC2C-120/520 T EU	MC 2C-120/520 T UK
Ref. no.	128471492	128471493	128471494

PRODUCT FEATURES

Stainless steel pistons	•	•	•
Hose reel	•		
Automatic start/stop	•	•	•
Spray Gun Holder	•	•	•
Cable hook, turnable	•	•	•
Foam Sprey	•	•	•
Detergent Tank 2,5 Lt	•	•	•

Ideal cold water cleaning for everyday tasks

Model	MC2C-140/610 XT EU - 16A	MC 2C-140/610 XT UK	MC2C-150/650 EU - 16A
Ref. no.	128471495	128471496	128471497

PRODUCT FEATURES

Stainless steel pistons	•	•	•
Hose reel	•	•	
Automatic start/stop	•	•	•
Spray Gun Holder	•	•	•
Cable hook, turnable	•	•	•
Foam Sprey	•	•	•
Detergent Tank 2,5 Lt	•	•	•

Model	MC2C-150/650 XT EU - 16A	MC2C-140/650 EXPT
Ref. no.	128471498	128471499

PRODUCT FEATURES

Stainless steel pistons		•	•
Hose reel		•	
Automatic start/stop		•	•
Spray Gun Holder		•	•
Cable hook, turnable		•	•
Foam Sprey		•	•
Detergent Tank 2,5 Lt		•	•

Technical specifications	MC 2C-120/520 T EU	MC 2C-120/520 T UK	MC 2C-120/520 XT EU
Pump Pressure (bar/MPa)	120/12	120/12	120/12
Cleaning impact (kg/force)	2.2	2.2	2.2
Pump (RPM)	2800	2800	2800
Power consumption (kW)	2.3	2.3	2.3
Voltage/phase/frequency/current (V~/Hz/A)	230/1/50/10	230/1/50/10	230/1/50/10
Water flow Qmax/Qiec (l/h)	520/470	520/470	520/470
El cable (m)	5	5	5
Nozzle size	0340	0340	0340
Max. inlet temperature (°C)	60	60	60
Stainless steel pistons	3	3	3
Dimensions, L x W x H (mm)	394x391x955	394x391x955	394x391x955
Suction height dry (m)	0.5	0.5	0.5
Weight (kg)	27.3	27.3	28.1
Recommended avg. hours of use per day	1	1	1

Ideal cold water cleaning for everyday tasks

Technical specifications	MC 2C-80/520 T MEX	MC2C-120/520 XT EU	MC 2C-120/520 XT AU
Pump Pressure (bar/MPa)	150/15	120/12	120/12
Cleaning impact (kg/force)	2.9	2.2	2.2
Pump (RPM)	2800	2800	2800
Power consumption (kW)	3.3	2.3	2.3
Voltage/phase/frequency/current (V/~/Hz/A)	230/1/50/14.5	230/1/50/10	230/1/50/10
Water flow Qmax/Qiec (l/h)	650/570	520/470	520/470
El cable (m)	5	5	5
Nozzle size	0340	0340	0340
Max. inlet temperature (°C)	60	60	60
Stainless steel pistons	3	3	3
Dimensions, L x W x H (mm)	394x391x955	394x391x955	394x391x955
Suction height dry (m)	0.5	0.5	0.5
Weight (kg)	28.1	28.1	28.1
Recommended avg. hours of use per day	1	1	1

Technical specifications	MC 2C-120/520 XT CH	MC2C-120/520 T EU	MC 2C-120/520 T UK
Pump Pressure (bar/MPa)	120/12	120/12	120/12
Cleaning impact (kg/force)	2.2	2.2	2.2
Pump (RPM)	2800	2800	2800
Power consumption (kW)	2.3	2.3	2.3
Voltage/phase/frequency/current (V/~/Hz/A)	230/1/50/10	230/1/50/10	230/1/50/10
Water flow Qmax/Qiec (l/h)	520/470	520/470	520/470
El cable (m)	5	5	5
Nozzle size	0340	0340	0340
Max. inlet temperature (°C)	60	60	60
Stainless steel pistons	3	3	3
Dimensions, L x W x H (mm)	394x391x955	394x391x955	394x391x955
Suction height dry (m)	0.5	0.5	0.5
Weight (kg)	28.1	27.3	27.3
Recommended avg. hours of use per day	1	1	1



Technical specifications	MC2C-140/610 XT EU - 16A	MC 2C-140/610 XT UK	MC2C-150/650 EU - 16A
Pump Pressure (bar/MPa)	140/14	140/14	150/15
Cleaning impact (kg/force)	2.5	2.5	2.9
Pump (RPM)	2800	2800	2800
Power consumption (kW)	2.9	2.9	3.3
Voltage/phase/frequency/current (V/~/Hz/A)	230/1/50/12.6	230/1/50/12.6	230/1/50/14.5

Ideal cold water cleaning for everyday tasks











Technical specifications	MC2C-140/610 XT EU - 16A	MC 2C-140/610 XT UK	MC2C-150/650 EU - 16A
Water flow Qmax/Qiec (l/h)	610/540	610/540	650/570
El cable (m)	5	5	5
Nozzle size	0340	0340	0340
Max. inlet temperature (°C)	60	60	60
Stainless steel pistons	3	3	3
Dimensions, L x W x H (mm)	394x391x955	394x391x955	394x391x955
Suction height dry (m)	0.5	0.5	0.5
Weight (kg)	28.1	28.1	27.3
Recommended avg. hours of use per day	1	1	1

Technical specifications	MC2C-150/650 XT EU - 16A	MC2C-140/650 EXPT
Pump Pressure (bar/MPa)	150/15	150/15
Cleaning impact (kg/force)	2.9	2.9
Pump (RPM)	2800	2800
Power consumption (kW)	3.3	3.3
Voltage/phase/frequency/current (V/~/Hz/A)	230/1/50/14.5	230/1/50/14.5
Water flow Qmax/Qiec (l/h)	650/570	650/570
El cable (m)	5	5
Nozzle size	0340	0340
Max. inlet temperature (°C)	60	60
Stainless steel pistons	3	3
Dimensions, L x W x H (mm)	394x391x955	394x391x955
Suction height dry (m)	0.5	0.5
Weight (kg)	27.3	27.3
Recommended avg. hours of use per day	1	1

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment




Accessories	Ref. no.	Min. required	MC 2C-120/520 T EU	MC 2C-120/520 T UK	MC 2C-120/520 XT EU
<b>High Pressure Hose, DN6</b>					
	HOSE DN6 10M 1W FOR P-2	126528620	0		
	HOSE DN6 15 M 1W AGR-AGR	6528613	0	○	○

## Ideal cold water cleaning for everyday tasks







Accessories		Ref. no.	Min. required	MC 2C-120/520 T EU	MC 2C-120/520 T UK	MC 2C-120/520 XT EU
	HOSE DN6 X 15m ERGO HR CONNECTION REACH	128502030	1	○		○
<b>Hose and Connection</b>						
	NILFISK BA VALVE WO COUPLER	106411184	0	○	○	○
<b>Surface Cleaning Rotary</b>						
	HYDROSCRUB P300 P+H	106403187	0	○	○	○
<b>Injector and Foam Sprayer</b>						
	FOAM SPRAYER 2.5L / 0450 W/O ADJUST	128502051	0	○		○
	NILFISK FOAMSPRAYER VARIO 1 LTR 037	106408234	0	○	○	○
<b>Drain and Pipe Cleaning</b>						
	DRAIN AND PIPE HPW SET DN6 15M PVC	128501789	0	○	○	○
	DRAIN AND PIPE HPW SET DN6 15M SAE100R7	128501790	0	○	○	○
	DRAIN AND PIPE HPW SET DN6 30M SAE100R7	128501791	0	○	○	○
<b>4-in-1 Lance</b>						
	4-IN-1 LANCE INCL 0340 ALUMINUM HEAD	128502046	0	○	○	○
<b>Flexible Nozzle (IVT)</b>						
	FLEXOPOWER PLUS 960 W 0340 NOZZLE	128502049	0	○	○	○

# NILFISK









Ideal cold water cleaning for everyday tasks

Accessories		Ref. no.	Min. required	MC 2C-120/520 T EU	MC 2C-120/520 T UK	MC 2C-120/520 XT EU
	FLEXOPOWER PLUS 960 W 0350 NOZZLE	128502050	0	○	○	○
<b>Spray Gun</b>						
	ERGO 2000 SPRAY HANDLE W. HOSE SWIVEL	106404757	0	●		●
<b>Accessory Kit</b>						
	NOZZLE KIT FOR DRAIN AND PIPE CLEAN SET	106404834	0	○	○	○

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment











Accessories		Ref. no.	Min. required	MC 2C-80/520 T MEX	MC2C-120/520 XT EU	MC 2C-120/520 XT AU
<b>High Pressure Hose, DN6</b>						
	HOSE DN6 10M 1W FOR P-2	126528620	0			
	HOSE DN6 15 M 1W AGR-AGR	6528613	0	○	●	●
	HOSE DN6 X 15m ERGO HR CONNECTION REACH	128502030	1	○	○	○
<b>Hose and Connection</b>						
	NILFISK BA VALVE WO COUPLER	106411184	0	○	○	○
<b>Surface Cleaning Rotary</b>						
	HYDROSCRUB P300 P+H	106403187	0	○	○	○
<b>Injector and Foam Sprayer</b>						
	FOAM SPRAYER 2.5L / 0450 W/O ADJUST	128502051	0	○	○	○

Ideal cold water cleaning for everyday tasks






Accessories		Ref. no.	Min. required	MC 2C-80/520 T MEX	MC2C-120/520 XT EU	MC 2C-120/520 XT AU
	NILFISK FOAMSPRAYER VARIO 1 LTR 037	106408234	0	○	○	○
<b>Drain and Pipe Cleaning</b>						
	DRAIN AND PIPE HPW SET DN6 15M PVC	128501789	0	○	○	○
	DRAIN AND PIPE HPW SET DN6 15M SAE100R7	128501790	0	○	○	○
	DRAIN AND PIPE HPW SET DN6 30M SAE100R7	128501791	0	○	○	○
<b>4-in-1 Lance</b>						
	4-IN-1 LANCE INCL 0340 ALUMINUM HEAD	128502046	0	○	●	●
<b>Flexible Nozzle (IVT)</b>						
	FLEXOPOWER PLUS 960 W 0340 NOZZLE	128502049	0	○	○	○
	FLEXOPOWER PLUS 960 W 0350 NOZZLE	128502050	0	○	○	○
<b>Spray Gun</b>						
	ERGO 2000 SPRAY HANDLE W. HOSE SWIVEL	106404757	0	●	●	●
<b>Accessory Kit</b>						
	NOZZLE KIT FOR DRAIN AND PIPE CLEAN SET	106404834	0	○	○	○

Ideal cold water cleaning for everyday tasks





● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

Accessories		Ref. no.	Min. required	MC 2C-120/520 XT CH	MC2C-120/520 T EU	MC 2C-120/520 T UK
<b>High Pressure Hose, DN6</b>						
	HOSE DN6 10M 1W FOR P-2	126528620	0		●	●
	HOSE DN6 15 M 1W AGR-AGR	6528613	0	●	○	○
	HOSE DN6 X 15m ERGO HR CONNECTION REACH	128502030	1	○	○	○
<b>Hose and Connection</b>						
	NILFISK BA VALVE WO COUPLER	106411184	0	○	○	○
<b>Surface Cleaning Rotary</b>						
	HYDROSCRUB P300 P+H	106403187	0	○	○	○
<b>Injector and Foam Sprayer</b>						
	FOAM SPRAYER 2.5L / 0450 W/O ADJUST	128502051	0	○	○	○
	NILFISK FOAMSPRAYER VARIO 1 LTR 037	106408234	0	○	○	○
<b>Drain and Pipe Cleaning</b>						
	DRAIN AND PIPE HPW SET DN6 15M PVC	128501789	0	○	○	○
	DRAIN AND PIPE HPW SET DN6 15M SAE100R7	128501790	0	○	○	○
	DRAIN AND PIPE HPW SET DN6 30M SAE100R7	128501791	0	○	○	○










Ideal cold water cleaning for everyday tasks

Accessories		Ref. no.	Min. required	MC 2C-120/520 XT CH	MC2C-120/520 T EU	MC 2C-120/520 T UK
<b>4-in-1 Lance</b>						
	4-IN-1 LANCE INCL 0340 ALUMINUM HEAD	128502046	0	•	•	•
<b>Flexible Nozzle (IVT)</b>						
	FLEXOPOWER PLUS 960 W 0340 NOZZLE	128502049	0	○	○	○
	FLEXOPOWER PLUS 960 W 0350 NOZZLE	128502050	0	○	○	○
<b>Spray Gun</b>						
	ERGO 2000 SPRAY HANDLE W. HOSE SWIVEL	106404757	0	•	•	•
<b>Accessory Kit</b>						
	NOZZLE KIT FOR DRAIN AND PIPE CLEAN SET	106404834	0	○	○	○


● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

Accessories		Ref. no.	Min. required	MC2C-140/610 XT EU - 16A	MC 2C-140/610 XT UK	MC2C-150/650 EU - 16A
<b>High Pressure Hose, DN6</b>						
	HOSE DN6 10M 1W FOR P-2	126528620	0			•
	HOSE DN6 15 M 1W AGR-AGR	6528613	0	•	•	○
	HOSE DN6 X 15m ERGO HR CONNECTION REACH	128502030	1	○	○	○
<b>Hose and Connection</b>						
	NILFISK BA VALVE WO COUPLER	106411184	0	○	○	○









Ideal cold water cleaning for everyday tasks

Accessories	Ref. no.	Min. required	MC2C-140/610 XT EU - 16A	MC 2C-140/610 XT UK	MC2C-150/650 EU - 16A
<b>Surface Cleaning Rotary</b>					
	HYDROSCRUB P300 P+H	106403187	0	○	○
<b>Injector and Foam Sprayer</b>					
	FOAM SPRAYER 2.5L / 0450 W/O ADJUST	128502051	0	○	○
	NILFISK FOAMSPRAYER VARIO 1 LTR 037	106408234	0	○	○
<b>Drain and Pipe Cleaning</b>					
	DRAIN AND PIPE HPW SET DN6 15M PVC	128501789	0	○	○
	DRAIN AND PIPE HPW SET DN6 15M SAE100R7	128501790	0	○	○
	DRAIN AND PIPE HPW SET DN6 30M SAE100R7	128501791	0	○	○
<b>4-in-1 Lance</b>					
	4-IN-1 LANCE INCL 0340 ALUMINUM HEAD	128502046	0	●	●
<b>Flexible Nozzle (IVT)</b>					
	FLEXOPOWER PLUS 960 W 0340 NOZZLE	128502049	0	○	○
	FLEXOPOWER PLUS 960 W 0350 NOZZLE	128502050	0	○	○
<b>Spray Gun</b>					
	ERGO 2000 SPRAY HANDLE W. HOSE SWIVEL	106404757	0	●	●








Ideal cold water cleaning for everyday tasks

Accessories	Ref. no.	Min. required	MC2C-140/610 XT EU - 16A	MC 2C-140/610 XT UK	MC2C-150/650 EU - 16A
<b>Accessory Kit</b>					
 NOZZLE KIT FOR DRAIN AND PIPE CLEAN SET	106404834	0	○	○	○

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

Accessories	Ref. no.	Min. required	MC2C-150/650 XT EU - 16A	MC2C-140/650 EXPT
<b>High Pressure Hose, DN6</b>				
 HOSE DN6 10M 1W FOR P-2	126528620	0		●
 HOSE DN6 15 M 1W AGR-AGR	6528613	0	●	○
 HOSE DN6 X 15m ERGO HR CONNECTION REACH	128502030	1	○	○
<b>Hose and Connection</b>				
 NILFISK BA VALVE WO COUPLER	106411184	0	○	○
<b>Surface Cleaning Rotary</b>				
 HYDROSCRUB P300 P+H	106403187	0	○	○
<b>Injector and Foam Sprayer</b>				
 FOAM SPRAYER 2.5L / 0450 W/O ADJUST	128502051	0	○	○
 NILFISK FOAMSPRAYER VARIO 1 LTR 037	106408234	0	○	○
<b>Drain and Pipe Cleaning</b>				
 DRAIN AND PIPE HPW SET DN6 15M PVC	128501789	0	○	○

Ideal cold water cleaning for everyday tasks

Accessories		Ref. no.	Min. required	MC2C-150/650 XT EU - 16A	MC2C-140/650 EXPT
	DRAIN AND PIPE HPW SET DN6 15M SAE100R7	128501790	0	○	○
	DRAIN AND PIPE HPW SET DN6 30M SAE100R7	128501791	0	○	○
<b>4-in-1 Lance</b>					
	4-IN-1 LANCE INCL 0340 ALUMINUM HEAD	128502046	0	●	○
<b>Flexible Nozzle (IVT)</b>					
	FLEXOPOWER PLUS 960 W 0340 NOZZLE	128502049	0	○	○
	FLEXOPOWER PLUS 960 W 0350 NOZZLE	128502050	0	○	●
<b>Spray Gun</b>					
	ERGO 2000 SPRAY HANDLE W. HOSE SWIVEL	106404757	0	●	●
<b>Accessory Kit</b>					
	NOZZLE KIT FOR DRAIN AND PIPE CLEAN SET	106404834	0	○	○